SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
Tactical Combat Casualty Care November 2010  TCCC Scenarios	Tactical Combat Casualty Care November 2010  TCCC Scenarios	We've talked about the basics.  Now we're going to look at some more scenarios.
Tactical Casualty Scenarios  If the basic TCCC combat trauma management plan doesn't work for the specific tactical situation, then for combat medics, corpsmen, and Pls-if.doesn't work.  There are no rigid guidelines in combat – THINK ON YOUR FEET. Scenario-based planning is critical for success in TCCC.  Examples to follow	<ul> <li>Tactical Casualty Scenarios</li> <li>If the basic TCCC combat trauma management plan doesn't work for the specific tactical situation, then for combat medics, corpsmen, and PJs - it doesn't work.</li> <li>There are no rigid guidelines in combat – THINK ON YOUR FEET.</li> <li>Scenario-based planning is critical for success in TCCC.</li> <li>Examples to follow</li> </ul>	Read text
SEAL Casualty - Afghanistan  - August 2002 - Somewhere in Afghanistan - SEAL element on direct action mission - Story of the casualty as described by the first responder – NOT a corpsman	<ul> <li>SEAL Casualty - Afghanistan</li> <li>August 2002</li> <li>Somewhere in Afghanistan</li> <li>SEAL element on direct action mission</li> <li>Story of the casualty as described by the first responder – NOT a corpsman</li> </ul>	This is a real story that dramatically illustrates the difficulty of trauma care on the battlefield

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
4	SEAL Casualty - Afghanistan	Read text
"There were four people in my team, two had been shot. Myself and the other uninjured teammate low crawled to the downed men. The man I came to was lying on his back, conscious, with his left leg pinned awkwardly beneath him. He was alert and oriented to person, place, time, and event. At that point I radioed C2 (mission control) to notify them of the downed man."  "There were four people in my team, two had been shot. Myself and the other uninjured teamm low crawled to the downed men. The man I came to was lying on his back, conscious, with his left leg pinned awkwardly beneath him. He was alert and oriented person, place, time, and event. It hat point I radioed C2 (mission control) to notify them of the downed man."		
5	SEAL Casualty - Afghanistan	Read text
"Upon closer inspection, his knee was as big as a basketball and his femur had broken. The patient was in extreme pain and did not allow me to do a sweep of his injured leg. He would literally shove me or grab me whenever I touched his leg or wounds. I needed to find the entrance and exit wound and stop any possible arterial bleeding."	"Upon closer inspection, his knee was as big as a basketball and his femur had broken. The patient was in extreme pain and did not allow me to do a sweep of his injured leg. He would literally shove me or grab me whenever I touched his leg or wounds. I needed to find the entrance and exit wound and stop any possible arterial bleeding."	
6 SEAL Casualty - Afghanistan "But there was zero illumination and he was lying in a wet irrigation ditch. So I couldn't see blood and I couldn't feel for blood."	"But there was zero illumination and he was lying in a wet irrigation ditch. So I couldn't see blood and I couldn't feel for blood."	Picture yourself in this situation. You've got a casualty who is badly hurt and you can't see a thing.

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
7	SEAL Casualty - Afghanistan	Read text
"We were also in danger because our position was in an open field (where the firefight had been) and I had to provide security for him and myself. So, I couldn't afford to turn on any kind of light to examine his wounds. I told him to point to where he felt the pain. He had to sort through his pains."	"We were also in danger because our position was in an open field (where the firefight had been) and I had to provide security for him and myself. So, I couldn't afford to turn on any kind of light to examine his wounds. I told him to point to where he felt the pain. He had to sort through his pains."	
8	SEAL Casualty - Afghanistan	Read text
"He had extreme pain in his knee and where his femur had been shattered as well as a hematoma at the site of the entrance wound (interior and upper left thigh). Finally, he pointed to his exit wound (anterior and upper left thigh). Again, I had no way of telling how much blood he had lost. But I did know that he was nonambulatory."	"He had extreme pain in his knee and where his femur had been shattered as well as a hematoma at the site of the entrance wound (interior and upper left thigh). Finally, he pointed to his exit wound (anterior and upper left thigh). Again, I had no way of telling how much blood he had lost. But I did know that he was nonambulatory."	
"So I called C2 again. I gave him the disposition of the patient as well as a request for casevae, a Corpsman, and additional personnel to secure my position and assist in moving the patient to the helicopter. I thought about moving the two of us to some concealment 25 meters away, but we were both really low in a shallow irrigation ditch. I felt safer there than trying to drag or carry a screaming man to concealment."	"So I called C2 again. I gave him the disposition of the patient as well as a request for casevac, a Corpsman, and additional personnel to secure my position and assist in moving the patient to the helicopter. I thought about moving the two of us to some concealment 25 meters away, but we were both really low in a shallow irrigation ditch. I felt safer there than trying to drag or carry a screaming man to concealment."	C2 = Command and Control

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
10	SEAL Casualty - Afghanistan	Read text
"Between providing security and spending a lot of time on the radio I didn't get to treat the patient as much as I wanted to. I had given him a Kerlix bandage to hold against his exit wound. When he frantically told me that he was feeling a lot of blood, I went back to trying to treat him. I couldn't elevate his leg. To move it would mean he'd scream in pain, which wasn't tactical."	"Between providing security and spending a lot of time on the radio I didn't get to treat the patient as much as I wanted to. I had given him a Kerlix bandage to hold against his exit wound. When he frantically told me that he was feeling a lot of blood, I went back to trying to treat him. I couldn't elevate his leg. To move it would mean he'd scream in pain, which wasn't tactical."	
11	SEAL Casualty - Afghanistan	Read text
"There was just no way he would allow me to apply a pressure dressing to the exit wound even if I could locate it and pack it with Kerlix. So, I decided to put a tourniquet on him."	"There was just no way he would allow me to apply a pressure dressing to the exit wound even if I could locate it and pack it with Kerlix. So, I decided to put a tourniquet on him."	
12	SEAL Casualty - Afghanistan	Note the makeshift tourniquet.
"His wounds were just low enough on his leg to get the tourniquet an inch or so above the site. I had a cravat and a wooden dowel with 550 cord (parachute cord) attached to it to use as a tourniquet. I told him to expect a lot of pain as I would be tightening the cravat down."	"His wounds were just low enough on his leg to get the tourniquet an inch or so above the site. I had a cravat and a wooden dowel with 550 cord (parachute cord) attached to it to use as a tourniquet. I told him to expect a lot of pain as I would be tightening the cravat down."	When we first started the war in Afghanistan, most U.S. forces were not deploying with issued tourniquets.
SEAL Casualty - Afghanistan  "At this point he feared for his life so he agreed. Once I got it tightened I had trouble securing it. The 550 cord was hard to get underneath the tightened cravat."  "At this point he feared for his life so he agreed. Once I got it tightened I had trouble securing it. The 550 cord was hard to get underneath the tightened cravat."		You need to be able to get a tourniquet on a wounded teammate with zero illumination.

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
14	SEAL Casualty - Afghanistan	Read text
"After over 5 minutes, the Corpsman arrived along with a CASEVAC bird and a security force. Moving the patient was very hard. Four of us struggled to move him and his gear 25 meters to the bird. The patient was over 200 pounds alone and we were moving over very uneven terrain."	"After over 5 minutes, the Corpsman arrived along with a CASEVAC bird and a security force. Moving the patient was very hard. Four of us struggled to move him and his gear 25 meters to the bird. The patient was over 200 pounds alone and we were moving over very uneven terrain."	
SEAL Casualty - Afghanistan  "We wanted to do a three-man carry with two men under his arms and one under his legs. But again, his leg was flopping around at the thigh and couldn't be used to lift him."	"We wanted to do a three-man carry with two men under his arms and one under his legs. But again, his leg was flopping around at the thigh and couldn't be used to lift him."	Experienced combat medical personnel say that moving the casualty is typically the biggest challenge in TCCC.
16	SEAL Casualty - Afghanistan	Was the tourniquet a good move?
SEAL Casualty - Afghanistan  "The bird, (a Task Force 160 MH-60) had a 50-cal sniper rifle strapped down, which made it hard for us to get him in. It took us minutes to get him 25 meters into the bird. The Corpsman went with my patient as well as the other downed man in my team and I went back to the op."  "The bird, (a Task Force 160 MH-60) had a 50-cal sniper rifle strapped down, which made it hard for us to get him in. It took us minutes to get him 25 meters into the bird. The Corpsman went with my patient as well as the other downed man in my team and I went back to the op."		Absolutely – probably saved the casualty's life  Would a pressure dressing have been a good idea if tolerated by the patient?  NO – won't necessarily stop a big bleeder
Scenario Discussions – Suggested Format  Break up into groups of six Present the background for the scenario on the screen. The Instructor will lead the group's discussion through to the end of the scenario.  I ominutes per scenario Stop after 10 minutes and present next scenario on screen	Scenario Discussions – Suggested Format  Break up into groups of six Present the background for the scenario on the screen.  The Instructor will lead the group's discussion through to the end of the scenario.  10 minutes per scenario Stop after 10 minutes and present the next scenario on screen.	Here's is a suggested format for the scenario discussions  Get the class talking and thinking on these!

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
Urban Warfare Scenario	Urban Warfare Scenario	Now let's look at a scenario in urban warfare operations
19	Real-World Scenario	Anybody recognize this casualty?
Real-World Scenario  High-threat urban environment 16-man Ranger team 70-foot fast rope insertion for building assault One man misses rope and falls Unconscious on the ground Bleeding from mouth and ears Unit taking sporadic fire from all directions from hostile crowds	<ul> <li>High-threat urban environment</li> <li>16-man Ranger team</li> <li>70-foot fast rope insertion for building assault</li> <li>One man misses rope and falls</li> <li>Unconscious on the ground</li> <li>Bleeding from mouth and ears</li> <li>Unit taking sporadic fire from all directions from hostile crowds</li> </ul>	First Ranger casualty in Mogadishu  Everybody here see "Blackhawk Down?"
The Battle of Mogadishu  Somalia – Oct 1993 US casualties 18 dead, 73 wounded Estimated Somali casualties 350 dead, 500 wounded Battle 15 hours in length	<ul> <li>The Battle of Mogadishu</li> <li>Somalia – 3 October 1993</li> <li>US casualties: 18 dead, 73 wounded</li> <li>Estimated Somali casualties 350 dead, 500 wounded</li> <li>Battle 15 hours in length</li> </ul>	At the time, it was the biggest battle involving U.S. forces since Vietnam
Mogadishu Complicating Factors  Helo CASEVAC not possible because of crowds, narrow streets, and RPGs  Vehicle CASEVAC not possible initially because of ambushes, roadblocks, and RPGs  Gunfire support problems  Somali crowds included non-combatants  Somalis able to take cover in buildings  RPG threat to helo fire-support gunships	<ul> <li>Mogadishu Complicating Factors</li> <li>Helo CASEVAC not possible because of crowds, narrow streets, and RPGs</li> <li>Vehicle CASEVAC not possible initially because of ambushes, roadblocks, and RPGs</li> <li>Gunfire support problems</li> <li>Somali crowds included non-combatants</li> <li>Somalis able to take cover in buildings</li> <li>RPG threat to helo firesupport gunships</li> </ul>	We talked about factors that make evacuation by helicopter hard.  Be sure that you add narrow streets and RPG fire to that list.  There were LOTS of U.S. helos over Mogadishu, but we were not able to evac the casualties with them for these reasons.

SLIDE	INSTRUCTIONAL	POINTS	INSTRUCTOR NOTES	
22	Care under Fire		See below for Instructor Notes	
Care under Fire	• Return fire?			
	• Move patient to cover right			
Return fire?     Move patient to cover right away or wait for	<ul><li>away or wait for long board?</li><li>How should he be moved?</li></ul>			
long board?  - How should he be moved?	• Intubation?	moveu!		
- Intubation?	• IV fluids?			
IV fluids?     Urgency for evacuation?	Urgency for evacu	ation?		
22				
Should the medic return fire or c	are for casualty?		<u> </u>	
	J	Does he ne	ed to be intubated?	
Reasonable to have medic or cor	rpsman to attend	No		
casualty in this scenario		Chin-lift/ja	w-thrust and NP airway	
Why?		Does he ne	ed IV fluids?	
Total suppression of hostile fire		-	fluid resuscitation if internal bleeding and	
Large crowd – can't kill everybo	ody	hypovolem	ic shock	
Lots of other guns Critically injured patient		Chaole radio	al pulse – give fluids if pulse weak	
Critically injured patient		CHECK Taula	ar pulse – give fluids ir pulse weak	
Does that break our rule about sl	nooting first and	Urgency for evacuation?		
treating later?		Little that can be done at FST (forward surgical team)		
W 1 (4 (2 OV 12 4	1. 6 41:	for the head injury		
Yes - but that's OK – it's the rig	ht answer for this	be bigger is	ptured spleen or other internal bleeding may	
particular situation.		be digger is	ssuc	
What's next?		Tactical commander in Mogadishu split force rather		
Move patient to cover right away	y or wait for long		than wait 30 minutes	
board immobilization?			ed antibiotics or analgesia?	
Is he at risk for a spinal cord injury if moved? Yes		No – no op Already un	en wound noted	
Also very much at risk of getting	-	Alleady un	conscious	
Probably DO want to get him to		Outcome		
cover available at side	,	Ranger survived his injuries.		
of road		End of scer	nario	
How would you want to move h	im?			
Carefully!!				
Cradle head with forearms to sta				
23	Mogadishu Scenario 2	2 Helo Hit	Second real-world scenario from	
Mogadishu Scenario 2 Helo Hit by RPG Round	by RPG Round		Mogadishu	
			Very different tactical situation	
11 11			-	
A Service Control of the Control of				
23				

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES	
Mogadishu Scenario 2 Helo Hit by RPG Round  Hostile and well-armed (AK-47s, RPG) crowds in an urban environment Building assault to capture members of a hostile clan Blackhawk helicopter trying to cover helo crash site Flying at 300 foot altitude	Mogadishu Scenario 2 Helo Hit by RPG Round  • Hostile and well-armed (AK-47s, RPG) crowds in an urban environment  • Building assault to capture members of a hostile clan  • Blackhawk helicopter trying to cover helo crash site  • Flying at 300 foot altitude	Read text	
Mogadishu Scenario 2 Helo Hit by RPG Round  • Left door gunner with 6 barrel M-134 minigun (4000 rpm)  • Hit in hand by ground fire  • Another crew member takes over mini-gun  • RPG round impacts under right door gunner   Mogadishu Scenario 2 Helo Hit by RPG Round  • Windshields all blown out  • Smoke filling aircraft  • Right minigun not functioning  • Left minigun without a gunner and firing uncontrolled  • Pilot:  • Transiently unconscious - now becoming alert	Mogadishu Scenario 2 Helo Hit by RPG Round  • Left door gunner with 6 barrel M-134 minigun (4000 rpm)  • Hit in hand by ground fire  • Another crew member takes over mini-gun  • RPG round impacts under right door gunner  Mogadishu Scenario 2 Helo Hit by RPG Round  • Windshields all blown out  • Smoke filling aircraft  • Right minigun not functioning  • Left minigun without a gunner and firing uncontrolled  • Pilot:  • Transiently unconscious - now becoming alert	Read text	
Mogadishu Scenario 2 Helo Hit by RPG Round  Co-pilot Unconscious - lying forward on helo's controls Crew Member Leg blown off Lying in puddle of his own blood Femoral bleeding	Mogadishu Scenario 2 Helo Hit by RPG Round  • Co-pilot  • Unconscious - lying forward on helo's controls  • Crew Member  • Leg blown off  • Lying in puddle of his own blood  • Femoral bleeding	Read text	

SLIDE	INSTRUCTIONAL	POINTS	INSTRUCTOR NOTES
Mogadishu Scenario 2 Helo Hit by RPG Round  • YOU are the person providing care in the helo. • What do you do first?	Mogadishu Scenario 2 by RPG Round • YOU are the perso care in the helo. • What do you do fir	n providing	See below for Instructor Notes
What are your options for first ac	tions?		ual in Mogadishu treated himself provised tourniquet Survived
Casualty with femoral bleeding Unconscious co-pilot Semi-conscious pilot Stop the uncontrolled min-gun fro Who gets treated first?  Take care of the pilot first Want to get him back flying the a Most important thing about medic is to try to keep the aircraft in the Stimulate pilot by shaking Smelling salts if available  What's next? Casualty with the femoral bleeder Needs a tourniquet He should be able to provide self-	nircraft cal care in an aircraft air	What can y Get him off Supine posi Check for e  Next action Check casu Stop any se  What else? Radio for h Prepare for	ou do for the unconscious co-pilot? It the controls It in and establish airway with NPA External bleeding – none seen It? It is a seen in the control of the
Military Operations in Urban Terrain	Military Operations in Terrain	Urban	Now let's look at a few scenarios that are representative of the kind that we are seeing in Iraq at present

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES	
MOUT Scenario 1  A U.S. ground element is moving on a high-value target in an urban environment  The first two men in a 8-man patrol are shot by an individual with an automatic weapon while moving down a hallway in a building.  The attacker follows this burst with a grenade.	<ul> <li>MOUT Scenario 1</li> <li>A U.S. ground element is moving on a high-value target in an urban environment</li> <li>The first two men in a 8-man patrol are shot by an individual with an automatic weapon while moving down a hallway in a building.</li> <li>The attacker follows this burst with a grenade.</li> </ul>	Read text	
MOUT Scenario 1  One casualty is shot in the abdomen but conscious. The second casualty is shot in the shoulder with severe external bleeding. The third person is unconscious from the grenade blast. The attacker withdraws around a corner.	<ul> <li>MOUT Scenario 1</li> <li>One casualty is shot in the abdomen but conscious.</li> <li>The second casualty is shot in the shoulder with severe external bleeding.</li> <li>The third person is unconscious from the grenade blast.</li> <li>The attacker withdraws around a corner.</li> </ul>	Read text	
MOUT Scenario 1  • YOU are the person providing medical care.  • What do you do?	<ul> <li>MOUT Scenario 1</li> <li>YOU are the person providing medical care.</li> <li>What do you do?</li> </ul>	See below for Instructor Notes	

SLIDE	INSTRUCTIONAL	POINTS	INSTRUCTOR NOTES
What are the tactical considerations here?		Check for other injuries	
How many other hostiles in are in house? All pursue hostile – leave casualties for later? All withdraw to care for casualties? Set security and treat casualties there? Split force – have some pursue and others treat? Split force most often chosen as the best option from previous groups. Who gets treated first?		Find major wound Apply tourn IV fluids? Check radia hemorrhage No need for Unconsciou Pulse ox me	bleeding in back of thigh from shrapnel niquet al pulse – strong – not unconscious from e r fluids – may make blast lung worse as from blast onitoring
Casualty with Shoulder Injury Most important to treat immediately – could bleed to death quickly Stop bleeding with Combat Gauze dressing Apply with direct pressure for 3 minutes Airway Management? OK – conscious  IV?		Combat pill No – needs personnel a Needs oxyg  Next? Abdominal Airway Ma OK - consc	IV antibiotics – unconscious – medical dminister when feasible gen in CASEVAC phase  Wound Casualty nagement?
No – not in shock if take care of bleeding without delay			oresent – not in shock a good idea when time permits
Combat pill pack? Yes			o shock later l pack? ılty can self-administer
Fentanyl? Careful - may go into shock later from shoulder wound			wound should have IV antibiotics – but not ority at this point
What next? Unconscious Casualty with Blast Injury Airway Management? Chin-lift/jaw thrust NP airway		End of scen	ario
33	MOUT Scenario 2		



SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES	
MOUT Scenario 2  • SCENARIO HISTORY: While on patrol in the city of Tal Afar your platoon receives effective direct small arms fire. A 22-year-old unit member falls to the ground and begins screaming, holding his right leg. The platoon, including you, reacts to the ongoing contact by returning fire.	MOUT Scenario 2 • SCENARIO HISTORY: While on patrol in the city of Tal Afar your platoon receives effective direct small arms fire. A 22-year-old unit member falls to the ground and begins screaming, holding his right leg. The platoon, including you, reacts to the ongoing contact by returning fire.	Read text	
MOUT Scenario 2  • You can see that the casualty is bleeding heavily from his leg wound.  • YOU are the person providing medical care for the unit.  • What do you do?	<ul> <li>MOUT Scenario 2</li> <li>You can see that the casualty is bleeding heavily from his leg wound.</li> <li>YOU are the person providing medical care for the unit.</li> <li>What do you do?</li> </ul>	See below for Instructor Notes	

### SLIDE INSTRUCTIONAL POINTS INSTRUCTOR NOTES

What phase are you in?

Care Under Fire

What should you do for the casualty?

Yell at him to get under cover if he can.

Tell him to put a tourniquet on his wounded leg.

May have to help him.

Consider movement plan/suppression fire, etc if you do.

Should he take his Combat Pill Pack meds now?

No. Still in Care under Fire phase

Priorities are to get to cover and return fire if possible

Scenario continues. Casualty has moved behind a vehicle. All hostiles are eliminated or have retreated. The platoon establishes a secure perimeter. Platoon leader tells you that you have only one casualty, and that you have a few minutes to work on him before the platoon will have to move.

What phase are you in now?

Tactical Field Care

Your casualty is alert, still in severe pain, and clutching his right leg. There is blood all over his leg and hands, and a tourniquet is in place on his right thigh. What is your first concern? Control of life-threatening bleeding.

What next?

You check the tourniquet.

It is positioned correctly.

The bleeding has been controlled.

You search quickly for any other life-threatening bleeding, and find none.

Should you disarm the casualty?

No. He is alert and wants to stay in the fight.

Next concern?

Airway is patent.

Casualty is conscious and talking – airway is OK.

Next?

Breathing.

Breathing is rapid from pain and the situation, but not labored.

What next?

Check for shock.

Mental status is normal. Radial pulse is strong.

Next?

Assess for other wounds.

You discover a large bruise on his chest and RUQ overlying the liver. You check his body armor and find corresponding damage compatible with a bullet strike.

Should you start a saline lock?

Only if you think he is in significant danger of going into shock later

Does the casualty need IV fluids at this point?

No – not in shock.

Conserve limited IV fluids until they are really needed.

Next?

Prevent hypothermia.

Ready Heat Blanket

Blizzard Rescue Blanket

Thermal cap

Next?

Inspect and dress his wound.

Reassess

Platoon leader tells you the unit will move in 10 minutes to a CASEVAC location. No enemy contact is expected. CASEVAC should take about 45-60 minutes.

Should you try to remove the tourniquet and replace with Combat Gauze

No – less than two hours tourniquet time anticipated. Leave it on.

Casualty has taken his own Combat Pill Pack. He is in significant pain. Should you give him further analgesia?

Mobic and Tylenol were taken 15 minutes ago.

Casualty is not in shock - fentanyl lozenge may be a good option here.

May withhold if there is a chance of more hostile contact and casualty wants to stay in the fight.

What else?

Reassure

Document care

You have now moved to the CASEVAC site. The platoon establishes security. You check the patient and notice that he is confused and breathing rapidly. You check his thigh wound and find that his tourniquet has become loose and the dressing is soaked with blood.

What next?

Re-tighten the first tourniquet. Use a second CAT tourniquet if needed.

Casualty becomes unconscious from shock. What next?

Establish IV access if not done before.

Infuse 500cc bolus of Hextend.

What next?

Nasopharyngeal airway - casualty is unconscious. Recovery position

End of scenario

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
Questions?	Questions?	
37	MOUT Scenario 3	
MOUT Scenario 3		
MOUT Scenario 3  - SCENARIO HISTORY: While on patrol in the city of Mosul, an infantry platoon comes under small arms fire. The point man is hit and falls to the ground. The platoon reacts to the contact, rapidly eliminating the ambushing hostiles. There are no other casualties. The platoon leader tells you take care of the casualty while the others establish a secure perimeter.	MOUT Scenario 3 • SCENARIO HISTORY: While on patrol in the city of Mosul, an infantry platoon comes under small arms fire. The point man is hit and falls to the ground. The platoon reacts to the contact, rapidly eliminating the ambushing hostiles. There are no other casualties. The platoon leader tells you take care of the casualty while the others establish a secure perimeter.	Read text

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
MOUT Scenario 3  You move to the casualty, and quickly assess for life-threatening conditions:  Gunshot wound Entrance at right upper back Exit in right armpit Heavy, pulsatile bleeding from the exit wound Breathing OK, though a little fast	MOUT Scenario 3 You move to the casualty, and quickly assess for lifethreatening conditions:  • Gunshot wound  • Entrance at right upper	INSTRUCTOR NOTES See below for Instructor Notes
No other wounds YOU are the person providing medical care. What do you do?	<ul> <li>back</li> <li>Exit in right armpit</li> <li>Heavy, pulsatile bleeding from the exit wound</li> <li>Breathing OK, though a little fast</li> <li>No other wounds</li> <li>YOU are the person providing medical care.</li> <li>What do you do?</li> </ul>	

SLIDE	INSTRUCTIONAL	POINTS	INSTRUCTOR NOTES	
It has been about 4 minutes since		What next?		
	wounded. What is your immediate concern?			
Life threatening hemorrhage from the wound in the		In shock - H	Hextend 500cc started.	
armpit (axilla)				
		Ten minutes pass. Hextend bolus is going in.		
What phase of care are you in?		External bleeding is controlled by the Combat Gauze.		
TFC		Casualty is deep pain.	now unconscious and does not respond to	
As the first responder caring for	this casualty, what do		reading for O2 sat displayed on the pulse	
you do next?		ox		
Expose the wound.		Carotid pulse is not palpable.		
Push a Combat Gauze bandage in			ng has stopped.	
Hold direct pressure for a minim	um of 3 minutes.		MEDEVAC helicopter is anticipated to take	
X71 / 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	at least an h	iour.	
What do you do while holding pressure?		W/14 49		
Talk to the casualty		What next?		
Checks both airway and mental s			peating needle decompression of possible	
External bleeding appears contro	fled but casualty is	tension pne Done	umo	
drowsy.			om out	
What next?	Will do do		No improvement	
	in a	Airway is rechecked and opened Second person confirms no pulse or breathing		
Check for other sources of bleed. None found	ing	Second pers	son commiss no pulse of breathing	
Check left radial pulse.		What next?		
It is not palpable.		CPR?		
it is not parpaore.	it is not parpaore.			
What next?	What next?		No Why not?	
Check breathing		It won't help. Individuals in cardiac arrest have little		
<u> </u>	Slightly fast but not obviously labored		chance of surviving more than 10 minutes without	
Singility fast out not obviously labored			nedical care, even in the absence of trauma.	
Should you treat for a tension pn	eumothorax here?		oon leader that the casualty has died. Cause	
Yes – have a chest wound, rapid		of death likely to have been internal hemorrhage from		
	Needle decompression of right chest done		the GSW. Decision now is how and when to transport	
No hiss of escaping air.		your teammate's body off the battlefield.		
No improvement		Document t	the injuries and the care rendered.	
		End of scen	nario	
	T			
40	Questions?			
Questions?				
9 1				

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
MOUT Scenario 4	MOUT Scenario 4	
MOUT Scenario 4  • SCENARIO HISTORY: You are riding with a squad in the back of a cargo Humvee. When you stop at an intersection, a lone attacker fires an RPG at your vehicle. It is poorly aimed, and strikes the ground beside the Humvee. The vehicle sustains moderate damage and is not able to move. Everyone scrambles out of the vehicle. The last person out is complaining of chest pain and shortness of breath. You and the others are uninjured.	<ul> <li>SCENARIO HISTORY:         You are riding with a squad in the back of a cargo         Humvee. When you stop at an intersection, a lone attacker fires an RPG at your vehicle. It is poorly aimed, and strikes the ground beside the Humvee. The vehicle sustains moderate damage and is not able to move. Everyone scrambles out of the vehicle. The last person out is complaining of chest pain and shortness of breath. You and the others are uninjured.</li> </ul>	Read text
MOUT Scenario 4  Security is set No further hostile fire YOU are the person providing medical care. What do you do?	<ul> <li>MOUT Scenario 4</li> <li>Security is set</li> <li>No further hostile fire</li> <li>YOU are the person providing medical care.</li> <li>What do you do?</li> </ul>	See below for Instructor Notes

SLIDE INSTRUCTIONAL POINTS INSTRUCTOR NOTES

What phase are you in?

Tactical Field Care

You examine the casualty and find:

She is alert, but in great pain

Shrapnel wound in her right lateral chest - no exit wound

Entrance wound is a sucking chest wound

Her right thumb is missing and the wound is oozing a little blood.

No major external bleeding

What next?

Cover the chest wound with an occlusive dressing. Apply the dressing at end-expiration.

Have her breathe all the way out and put it on before she breathes in again.

This makes the casualty a little more comfortable.

What next?

Thumb wound.

What do you do for the thumb wound?

Bleeding only minimally – just dress it.

You are worried about internal bleeding from the chest

wound. What are you going to do about it?

Monitor for changes in radial pulse strength and mental status

Casualty is alert and now breathing OK

Radial pulse is strong.

O2 sat is 95% (good)

Should you start a saline lock?

Good idea – at risk for going into shock

Would you give IV fluids now?

No. IV fluids are not needed right now. Not in shock.

What next?

Hypothermia prevention.

What next?

Look for other wounds

You find none

Casualty says that her pain is very severe. What else do you want to do for the casualty? Can you give her a fentanyl lozenge?

With caution

She's alert with good O2 sat and breathing well.

Not in shock.

BUT – has a chest injury

Know where your Narcan is if you give fentanyl Monitor oxygen saturation and breathing carefully

What's next?

Antibiotics.

Have her take her Combat Pill Pack with moxifloxacin

Casualty is stable. What steps do you take now?

Communicate status to squad leader.

Begin TACEVAC preparations.

Document care on TCCC Casualty Card

You are 8 miles from a CSH. Helicopter will not be available for an hour. By ground vehicle, the trip will take 35 minutes. A mounted patrol is dispatched to take your casualty to the CSH. It has now been about 40 minutes since the RPG attack. You are enroute to the CSH.

The casualty tells you she's having trouble breathing.

What do you do?

Assess her airway. It is clear.

Breathing is rapid and labored.

The dressing on the chest wound is secure.

Her O2 sat has dropped to 80%

What next?

Diagnosis? Presumed tension pneumothorax.

What are you going to do about it?

Lift one side of the occlusive dressing for a few seconds

There is a rush of air from the needle

The casualty's respiratory distress is relieved.

O2 sat goes up to 94%

Good job!

Replace the dressing and continue to monitor.

Repeat this maneuver as necessary for recurrence of labored breathing.

End of scenario

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
Questions?	Questions?	
Tactical Combat Casualty Care      Casualty scenarios on the battlefield usually entail both medical and tactical problems.     Emergency actions must address both.     Medical personnel need to be involved in mission planning.	<ul> <li>Tactical Combat Casualty Care</li> <li>Casualty scenarios on the battlefield usually entail both medical and tactical problems.</li> <li>Emergency actions must address both</li> <li>Medical personnel need to be involved in mission planning.</li> </ul>	Summary Good tactical medicine HAS to be a combination of good tactics and good medicine.  Bring your leadership into the medical plan.  Combat leaders must understand combat medicine.
Scenario-Based Planning  The TCCC guidelines for combat trauma scenarios are advisory rather than directive in nature.  Rarely does an actual tactical situation exactly reflect the conditions described in planning scenarios.  Unit medics/corpsmen/PJs will typically need to modify the medical care plan to optimize it for that scenario.	<ul> <li>Scenario-Based Planning</li> <li>The TCCC guidelines for combat trauma scenarios are advisory rather than directive in nature.</li> <li>Rarely does an actual tactical situation exactly reflect the conditions described in planning scenarios.</li> <li>Unit medics/corpsmen/PJs will typically need to modify the medical care plan to optimize it for that scenario.</li> </ul>	Read text
47  The 3 Objectives of TCCC  Treat the casualty Prevent additional casualties Complete the mission	The 3 Objectives of TCCC  • Treat the casualty  • Prevent additional casualties  • Complete the mission	Once more

SLIDE	INSTRUCTIONAL POINTS	INSTRUCTOR NOTES
The End	The End	
Test	Test	Conduct written test